



Factory Office:
Kumarasamy Raja Nagar – 521 457.
Jaggayyapet Taluk, Krishna Dist. Andhra Pradesh.
Phone : (08654) 224400 - 09 (10 Lines)
Fax : (08654) 222532
E-mail : mcljpm@ramcocements.co.in

THE RAMCO CEMENTS LIMITED

(Formerly known as Madras Cements Ltd.)

RCL/MoEF&CC/63/2017-18

24th November 2017

The Addl. Principal Chief Conservator of Forests,
Ministry of Environment and Forests,
Regional Office (Southern Zone),
No. 34, Cathedral Garden Road,
Nungambakkam, CHENNAI – 600 034.

Respected Sir,

- Sub: Submission of half yearly Compliance Report for Environmental Clearances for the period April 2017 to September 2017 - Reg.
- Ref: 1. EC for Cement Plant - 2.50 million TPA Clinker & 2.60 million TPA Cement Capacity vide Lr. No. J-11011/403/2006-IA-II (I) dated 07.02.2007.
2. EC for Cement Plant - 2.80 million TPA Clinker & 3.65 million TPA Cement Capacity vide Lr. No. J-11011/403/2006-IA II (I) dated 09.06.2009.
3. EC for Cement Plant – 3.185 million TPA Clinker & 3.65 million TPA Cement Capacity vide Lr. No. J-11011/403/2006-IA-II (I) dated 29.09.2016.

We herewith submit the half yearly Compliance Reports for the above cited Environmental Clearance letters issued for our Cement Plant & Thermal Power Plant for the period April 2017 to September 2017 along with relevant enclosures.

This is to submit that third cited Environmental Clearance for Increase of Clinker Production from 2.80 MTPA to 3.185 MTPA by Upgradation of Line – I & Optimum Utilization of Line – II and Installation of 6 MW Turbo Generator project is issued on 29.09.2016. The Consent for Operation (CFO) order for the project is issued on 04.04.2017 and the plant is under stabilization process.

This is to submit that the undersigned is the person in-charge of environmental division.

This is for your kind information and perusal please.

Thanking you,

Yours faithfully,
for The Ramco Cements Limited,

T. Sridhar Reddy,
Asst. Vice President (Works)
Phone No. 08654 – 224400,
Fax No. 08654 – 222532,
e-mail: mcljpm@ramcocements.co.in.

Encl: As above.

**THE RAMCO CEMENTS LIMITED, KSR NAGAR
COMPLIANCE REPORT - ENVIRONMENTAL CLEARANCE
CEMENT PLANT – 2.5 MILLION TPA CLINKER, 2.6 MILLION TPA CEMENT &
THERMAL POWER PLANT – 36 MW**

EC Lr. No. : J-11011/403/2006-IA-II (I) dated 7th February, 2007
Period : April 2017 to September 2017

A. Specific Conditions:

- i. *The gaseous and particulate matter emissions from various units shall conform to the standards prescribed by the A.P. Pollution Control Board. At no time, the particulate emissions from the cement plant shall exceed 50 mg/Nm³. The emissions from CPP shall be less than 100 mg/Nm³.*

Continuous on-line monitors for particulate emissions shall be carried out as per the recommendations of the CREP guidelines and on-line data shall be submitted to the APPCB and CPCB regularly. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit(s) is shutdown automatically.

Complied.

- Efforts are being made to control particulate matter emissions from stacks within the prescribed limit.
- All the pollution control equipment designed for cement plant Line – I and Line – II are designed for emission level of 30 mg/Nm³.
- All the pollution control equipments designed for CPP are designed for emission level of 50 mg/Nm³.
- 10 Nos. of online monitors are installed to measure particulate emissions for stacks and linked up with APPCB and CPCB websites.
- In the event of pollution control equipment not working, the respective unit(s) gets stopped automatically in phased manner with associated interlocks.

- ii. *Ambient air quality including ambient noise levels shall not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with APPCB and report submitted to the APPCB quarterly and to the Ministry's Regional Office at Bangalore half-yearly. One ambient air quality monitoring station shall be installed in downwind direction.*

Complied.

- Compiled data of ambient air quality monitoring data collected by MoEF&CC approved external laboratory on monthly basis for the period April 2017 to September 2017 is enclosed as Annexure - I.
- These stations are selected covering all directions of cement plant.
- Compiled data of stack emission monitoring levels carried by MoEF&CC approved external laboratory for the same period is enclosed as Annexure - II.
- Reports of ambient air quality and stack emissions monitoring submitted to the APPCB, on monthly basis.

- Online data on ambient air quality and stack monitoring is linked up with APPCB & CPCB websites.

iii. *The company shall install adequate dust collection and extraction system to control fugitive dust emissions at various transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. Bag filters will be provided in the kiln / raw mill and coal mill and ESP to AFBC boilers and coolers to control air emissions less than 50 mg/Nm³. The dust collected from the pollution control equipments shall be recycled back into the process. Storage of raw material shall be in closed roof sheds. Water spray system shall be provided all around the coal stockpiles and dust suppression system around the coal conveyor system.*

Complied. 88 Nos. of Air Pollution Control Equipments (APCEs) in cement plant and 9 Nos. of APCEs are in operation in TPP (Annexure – III).

- ESPs are in operation with respect to Cooler – I & II and TPP – I & II AFBC boilers, where as Bag House is connected to Kiln – I & RABH is connected to Kiln – II.
- Cooler – I ESP will be replaced with higher capacity. Single phase transformers are replaced with three phase transformers in Cooler – II ESP.
- With modernization activity in the year 2016-17, the outlet concentration of dust from all pollution control equipment attached to Cement Plant is designed for 30 mg/Nm³.
- The dust collected from all APCEs is being totally recycled to the respective process / storage facility.
- All material transfer points are connected with air pollution control equipments.
- All the packing machines are fitted with bag filters.
- All conveyers are covered with GI sheets.
- Received raw materials are being stored in closed systems.
- Closed sheds are provided for additive stacker & reclaimer, coal stacker & reclaimer and for gypsum storage.
- Fly ash and clinker being stored in silos and fly ash is unloaded / conveyed through pneumatic system. The entire fly ash generated from TPP is used in the manufacturing of cement.
- Water spray system arranged around the coal stacker & reclaimer.
- Agglomerative Dust Suppression system (water fogging) is installed at raw material hopper area, coal handling area and additive handling area.
- Water fogging system is also installed at limestone crusher hopper.

iv. *Asphalting / concreting of roads and water spray all around the coal stockpiles shall be carried out to control fugitive emissions.*

Complied. All major roads of the plant (including coal stacker / reclaimer road) are paved with concrete. Water is being sprayed around the coal stockpile.

v. *Total water requirement from the ground water source shall not exceed 5,519.60 m³/d and prior permission for the drawl of ground water from the SGWB / CGWA shall be obtained. No process wastewater shall be discharged due to its use either in the process or evaporation. All the treated wastewater shall be recycled and reused for ash conditioning, dust suppression, greenbelt development and other plant related activities etc. No*

effluent shall be discharged outside the factory premises and 'zero' discharge shall be adopted. Domestic effluent shall be used after treatment in Sewage Treatment Plant (STP) for greenbelt development within the plant and colony area.

Complied.

- Permission obtained from SGWB vide Lr. No. 11/Hg/MC/2006 dated 29.03.2007 (enclosed as Annexure - IV).
- Cement manufacturing will not generate process effluents.
- TPP effluent is being treated in effluent treatment plant.
- Sewage treatment plant is in operation to treat domestic sewage from colony and plant. Auto garage wash water is being treated at Oil & Grease Trap.
- Compiled data of STP, TPP ETP and Oil & Grease outlet samples analysis carried out by MoEF&CC approved agency for the period April 2017 to September 2017 is enclosed as Annexure – V, VI & VII respectively.
- These treated effluents are used for greenbelt, water sprinkling & partially for process activities and being maintaining 'zero discharge'.
- The excess treated waste water, if any, is being passed to pond in our own lands to uplift the water table in the nearby area.

vi. The company must harvest the rainwater from the roof tops and storm water drains to recharge the ground water. The company must also collect rain water in the mined out pits of captive lime stone mine and use the same water for the various activities of the project to conserve fresh water.

Being complied.

- 48 Nos. of rain water harvesting structures are made to recharge the ground water in the colony by September 2017. 4 Nos. of rain water harvesting structure are made to recharge the ground water in the plant by September 2017 (Annexure – VIII).
- Water collected in mine pits is being used for cement plant, for thermal power plant & for domestic uses.
- Treated waste water from STP, ETP and Oil & Grease Trap is used for greenbelt, water sprinkling and partially for process activities, to conserve fresh water.

vii. As proposed in EIA / EMP, greenbelt shall be developed in 172.7 ha (60%) out of total 248 ha. land in consultation with the local DFO as per the CPCB guidelines.

Greenbelt is developed in an area of 130.24 ha by September 2017. This condition is modified in the latest Environmental Clearance issued for Cement Plant expansion project [No. J-11011/403/2006-IA-II (I) dated 29th September, 2016], as point No. vi of specific conditions:

- A greenbelt of 130.24 ha (52.5 % of 248.08 ha) as on 30.11.2014 has been developed, which should be maintained as it is.

Emphasis is being made to maintain 130.24 ha greenbelt area in and around plant premises and for planting dust capturing plants in consultation with local DFO to mitigate the effects of air emissions.

viii. *All the cement dust collected from pollution control devices shall be recycled and reutilized in the process. The entire ash generated from the power plant will be pneumatically conveyed to the cement plant and used for manufacturing of PPC. Hazardous waste viz. spent oil from gear boxes and automatic batteries etc. shall be properly stored in a designated area and sold to authorized recyclers / reprocessors.*

Complied.

- Dust collected from pollution control equipment is being recycled in the respective process, totally.
- The entire fly ash generated from TPP is used in the manufacturing of cement.
- Disposing waste lead acid batteries to APPCB authorized agent.
- Waste oil along with fresh fuel is being used for kiln firing while light up & for reclaimer lubrication and / or sold to APPCB authorized agents.
- Waste lead acid batteries are being stored in closed shed and waste oil is stored in a tank of capacity 3.5 kL, till their disposal.

ix. *The company shall undertake eco-development measures including community welfare measures in the project area.*

Being complied.

- Spent about Rs. 85.60 lakh in the financial year 2016-17 for various socio-economic activities for the surrounding villages as part of corporate social responsibility.
- CSR activities for the nearby villages are being carried out as per the need basis of the local people, subjected to the budget availability.
- Details of CSR expenditure is being submitted along with half-yearly compliance reports regularly to MoEF&CC regularly.

x. *Present requirement of limestone shall be sourced from the Ravirala Forest Mine only for which environmental clearance has been accorded by the Ministry on 16th October, 2002. The limestone required in future shall be sourced from the captive limestone mine for which prior environmental clearance has been accorded by the Ministry.*

Noted. Presently, limestone requirement is being sourced from Captive mines, for which Environmental Clearances are obtained.

- Jayanthipuram Limestone Mine (North Band)
- Jayanthipuram Limestone Mine (South Band)
- Ravirala Limestone Mine
- Ramco Budawada Limestone Mine

xi. *All the recommendations of the CREP guidelines shall be strictly followed.*

Being implemented. CREP guidelines are being followed. As part of this, modernization project is done by replacing / modifying the pollution control equipment of cement plant with designed emission rate of 30 mg/Nm³, after

obtaining valid EC, CFE & CFO. The compliance report for CREP guidelines for cement plant is enclosed as Annexure - IX.

B. General Conditions:

i. *The project authority must adhere to the stipulations made by AP State Pollution Control Board (APPCB) and State Government.*

Being complied as per the CFO Order No. APPCB/HO/UH-IV/CFO:VJA/Auto Renewal-9/2016 dated 08.12.2016, which is valid up to 31st January 2022.

ii. *No further expansion or modification of the plant shall be carried out without prior approval of this Ministry.*

Noted. Ministry accorded EC for modernization and up-gradation project to produce 2.80 million TPA clinker & 3.65 million TPA cement vide Lr. No. J-11011/403/2006-IA II (I) dated 09th June 2009, for which CFO is granted / renewed by APPCB.

Ministry also accorded EC for expansion project to increase clinker production from 2.80 million TPA to 3.185 million TPA & to install 6 MW Turbo Generator vide Lr. No. J-11011/403/2006-IA-II (I) dated 29th September, 2016. CFO order is granted by APPCB for this project.

iii. *At least four ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO₂ and NO_x are anticipated in consultation with the APPCB. Data on ambient air quality and stack emissions shall be regularly submitted to this Ministry including its Regional Office at Bangalore and APPCB once in six months.*

Complied.

- Compiled data of ambient air quality monitoring (spread all around the cement plant) carried out by MoEF&CC approved agency on monthly basis for the period April 2017 to September 2017 is enclosed as Annexure - I.
- Compiled data of stack emission monitoring levels carried by MoEF&CC approved external laboratory for the same period is enclosed as Annexure - II.
- Monthly stack & ambient air quality monitoring data are being submitted to APPCB on regular basis.
- Half-yearly compliance reports are being submitted to APPCB and Regional Office of Ministry located at Chennai on regular basis.

iv. *Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.*

Complied.

- Cement manufacturing does not generate process effluents.
- Compiled data of STP, TPP ETP and auto garage oil & grease trap outlet sample analysis carried out by MoEF&CC approved agency on monthly basis for the period April 2017 to September 2017 is enclosed as Annexure – V, VI & VII respectively.

- The treated wastewater is being used for greenbelt, water sprinkling and partially for process activities.
 - The excess treated waste water, if any, is being passed to pond in our own lands to uplift the water table nearby area.
- v. *The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).*

Being complied. Efforts are made to achieve noise levels within norms.

- vi. *Proper housekeeping and adequate occupational health programmes must be taken up. Occupational Health Surveillance programme shall be done on a regular basis and records maintained. The programme must include lung function and sputum analysis tests once in six months.*

Being complied.

- Proper housekeeping is maintained in the plant premises.
 - 3 Nos. of Mobile Road Sweepers & 1 No. of Industrial Vacuum Cleaner are being used for better housekeeping.
 - Occupational health surveillance programme is being carried for the employees. Occupational Health Centre (with qualified Occupational Health Specialist) is established with the following facilities:
 - X-ray
 - ECG
 - Spirometry (lung function test)
 - Audiometry
 - Semi-auto analyser to carryout bio-chemical tests
 - Clinical lab for micro-biological tests (including sputum test)
 - Checking colour blindness
 - Dental chair
 - Ambulance
- vii. *The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA / EMP.*

Complied.

- Air pollution control equipments are established as EIA / EMP report and are being maintained properly.
- Sewage treatment plant, effluent treatment plant to treat thermal power plant effluents and oil & grease trap to treat auto garage effluent are established and are being operated as proposed in EIA / EMP.
- The treated effluents & sewage is used for greenbelt development, water sprinkling activities and partially for process activities.
- Socio-economic measures are being carried out as per EIA / EMP reports, for upliftment of nearby areas.

viii. *A separate environmental management cell with full fledged laboratory facilities to carry out various management and monitoring functions shall be set up under the control of Senior Executive.*

Complied. Separate environmental management cell is carrying out monitoring functions. The organization chart of environmental cell is enclosed as Annexure - X.

ix. *As mentioned in the EIA / EMP, Rs. 16.35 Crores and Rs. 10.00 Crores kept towards the total cost and recurring cost / annum for implementing environmental pollution control measures shall be judiciously used to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes.*

Being complied. Earmarked funds so provided are not being diverted for any other purposes.

- Rs. 1635 lakh spent towards total cost of various pollution control equipment for cement plant Line – II & thermal power plant Line – II at the time of installation of plant.
- Rs. 4.31 crore spent on new air pollution control equipment in the financial year 2016-17 as part of the Line – I expansion project.
- Rs. 6.49 crore spent as recurring cost in the financial year 2016-17, for various environmental protection measures associated with plant.
- Greenbelt expenditure in the financial year 2016-17 is Rs. 81.42 lakh with respect to plant, colony, mining lease areas and nearby areas.
- The expenditure details for various environmental protection measures are being submitted to the Ministry along with six-monthly compliance reports. Total expenditure in the financial year 2016-17 towards environmental protection account is around Rs. 14.27 crore.

x. *The Regional Office of this Ministry at Bangalore / Central Pollution Control Board / AP Pollution Control Board shall monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation should be submitted to them regularly.*

This is being submitted as part of six month compliance report with required statistical interpretations of monitored data.

xi. *The Project Authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.*

Informed.

xii. *The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the AP Pollution Control Board / Committee and may also be seen at Website of the Ministry of Environment and Forests at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the*

locality concerned and a copy of the same should be forwarded to the Regional office.

Complied. Advertised in "Eenadu" Telugu daily and "The Hindu" English daily on 14-02-2007. Copy of the same is forwarded to MOEF, RO, Bangalore vide Lr. No. LAB/PCB/10836/2007 dated 20-02-2007.